Gotec

OEM

SOLENOID PUMP

# EKS17

TECHNICAL DATA

## DIMENSIONS







## NOMINAL RATED DATA

| | | |
|---|---|---|
| Pressure (no flow) | | ≥ 1.8[bar] |
| Open flow | | ≥ 120[l/h] |
| Viscosity range | | 1...600[mm2/s] |
| Filter | | Mesh 100 |
| Voltages | | 230[V]<br>(24, 110V) |
| Frequencies | | 50, 60[Hz] |
| Electrical connection | | 2 x 6.3 x 0.8 [mm] |
| Power | | 40[W] |
| Weight | | ~430[g] |
| Temperature | | 1...50[°C] |
| Insulation | Classe H<br>Classe 2 | 100% ED / 20 [°C] |

Gotec Since 1964
Route de Mangold 11
CH - 1958 St-Léonard
Tél. +41 (0)27 205 72 05
info@gotec.ch
www.gotec.ch
SWISS MADE

Gotec

OEM

SOLENOID PUMP

# EKS17 230V

TECHNICAL DATA

## PERFORMANCES




## FLOW RATE & TEMPERATURE




< at 0.4 bar>

Tested with 20°C of water at ambient temperature

## ACCESSORIES

Cable with a diode

Thermal security

Large choice of materials & options

## ELECTRIC WIRING DIAGRAM




Please refer to instruction manual for more installation details. For more information, visit our website : **www.gotec.ch**

Certifications

RoHS REACH cULus SGS CE


Gotec Since 1964

Route de Mangold 11
CH - 1958 St-Léonard

Tél. +41 (0)27 205 72 05

info@gotec.ch
www.gotec.ch


SWISS MADE

Gotec

OEM

SOLENOID PUMP

# EKS17 24VAC

TECHNICAL DATA

## PERFORMANCES




## FLOW RATE & TEMPERATURE




< at 0.4 bar>

Tested with 20°C of water at ambient temperature

## ACCESSORIES

Cable with a diode

Thermal security

## ELECTRIC WIRING DIAGRAM




Large choice of materials & options

Please refer to instruction manual for more installation details. For more information, visit our website :
**www.gotec.ch**

Certifications

RoHS REACH cULus SGS CE

Gotec Since 1964
Route de Mangold 11
CH - 1958 St-Léonard
Tél. +41 (0)27 205 72 05
info@gotec.ch
www.gotec.ch

SWISS MADE